GTX Portable

MOTOROLA
intelligence everywhere™

GTX TRUNKED PORTABLE RADIO FOR PRIVACY PLUS AND LTR SYSTEMS

No matter what business you're in—security, construction or trade and repair—you need an easy-to-use, reliable way to communicate with 1, 10 or 100 workers instantly, at the touch of a button. And that's exactly what the GTX family of trunked radios gives you. Both the basic and display models offer multi-feature advantages that enhance your ability to connect with colleagues. The display model gives you increased system and talkgroup capacity plus the ability to place phone calls using your radio.

PRIVACY PLUS™ BASIC MODEL FEATURES:

- Call Alert™ Response…Signifies incoming messages with an audible tone—useful in noisy environments or when the radio isn't close at hand
- Talkaround…Maximizes radio's calling range with unit-to-unit communication that bypasses the repeater
- Dual Mode Capability…Makes it easy for the radio to operate on either trunked or conventional systems, with 4 trunked modes/3 talk groups and 4 conventional channels
- Scan…Monitor transmissions on trunked systems, conventional channels, or both
- Private Conversation™ Response…Receive confidential calls with the touch of a button to help ensure other users cannot listen in
- Telephone Interconnect Response… Expands communication ability by allowing the radio to receive incoming telephone calls

IN ADDITION TO THE BASIC MODEL FEATURES, THE PRIVACY PLUS™ KEYPAD MODEL ALSO OFFERS:

- Expanded Work Group Reach…Extends calling area and flexibility with 10 trunked modes/8 talkgroups and 10 conventional channels
- Call Alert Initiation and Response… Signifies incoming messages with an audible tone, or sends an alert message to another user's radio
- Eight-Digit Display…At-a-glance identification of talkgroups, telephone numbers, contact lists and more
- Telephone Interconnect Initiation and Response…Enhances the radio's functionality by letting users place and receive phone calls
- Telephone Interconnect Response… Expands communication ability by allowing the radio to receive incoming telephone calls

LTR® BASIC MODEL FEATURES:

- Talkaround…Maximizes radio's calling range with unit-to-unit communication that bypasses the repeater
- Dual Mode Capability…Makes it easy for the radio to operate on either trunked or conventional systems, with 4 trunked modes/3 talk groups and 4 conventional channels
- Scan…Monitor transmissions on trunked systems, conventional channels, or both
- Telephone Interconnect Response… Expands communication ability by allowing the radio to receive incoming telephone calls

IN ADDITION TO THE BASIC MODEL FEATURES, THE LTR® KEYPAD MODEL ALSO OFFERS:

- Expanded Work Group Reach…Extends calling area and flexibility with 10 trunked modes/8 talkgroups and 10 conventional channels
- Eight-Digit Display…At-a-glance identification of talkgroups, telephone numbers, contact lists and more
- Telephone Interconnect Initiation and Response…Enhances the radio's functionality by letting users place and receive phone calls
- Telephone Interconnect Response… Expands communication ability by allowing the radio to receive incoming telephone calls

American Communication Systems
Discover the Power of Communications ™
TO ORDER – VISIT http://www.ameradio.com

Audio Accessories

HMN9030A

REMOTE SPEAKER MICROPHONE (RSM)

The remote speaker microphone is a water-resistant compact unit that allows the user to talk and listen without removing the radio from the belt, case or charger. It has a coiled cord, push-to-talk switch and clothing clip on the back cover.

HMN9030A* Remote Speaker/ Microphone with Coil Cord and Clip Back

HMN9030AP Resale Packaged

***Intrinsically Safe**

RLN2494A

RSM ACCESSORIES

EPAULET STRAP

Black leather epaulet straps secure remote speaker microphones to epaulet of shirts or jackets and attach around cord to back of microphone.

RLN4294A Epaulet Strap, Velcro
RLN4295A Epaulet Strap, small clip

HMN9752B

HMN9754D

SURVEILLANCE KITS

Surveillance accessories allow the user to privately receive communications with the earpiece and are ideal when environments require discreet communications.

HMN9727B* Beige Receive Only Earpiece (1-Wire)

HMN9727BP Resale packaged

RLN4894A Black Receive Only Earpiece (1-Wire)

HMN9752B* Beige Receive Only Earpiece with Volume Control (1-Wire)

HMN9754D* Beige Earpiece with Microphone and Push-To-Talk Combined (2-Wire)

HMN9754DP Resale packaged

RLN4895A Black Earpiece with Microphone and Push-To-Talk Combined (2-Wire)

NTN8371A

NTN8370A

NOISE KIT

This lightweight translucent tube attaches to Motorola surveillance accessories to provide additional flexibility and comfort. Clothing clip prevents the accessory from being pulled from the ear due to body movement or head rotation.

NTN8370A Extreme Noise Kit, includes 2 foam earplugs for loud environments, provides 24dB of noise reduction
NTN8371A Low Noise Kit, includes rubber eartip for low noise environments, does not provide hearing protection

5080384F72 Replacement Foam Plugs; for use with NTN8370A (pack of 50)

5080371E73 Beige Standard Rubber Eartips; for use with NTN8371A (pack of 25)

5080371E75 Black Standard Rubber Eartips; for use with NTN8371A (pack of 25)


Standard Rubber Eartip Included with NTN8371A
Noise Attenuating Plugs NRR24dB Included with NTN8370A
Optional Clear Comfortable Earpiece Order Separately
Acoustic Tube with Earphone

***Intrinsically Safe**

RLN4760A

RLN4763A

CLEAR COMFORTABLE EARPIECE

The clear comfortable earpiece forms to the inside of your ear and is perfect for low noise environments. Compatible with the NTN8371A, clear acoustic tube assembly and most surveillance kits (1, 2 and 3-wire). This earpiece is made of easy-to-clean chemically inert, hypoallergenic material. Does not provide hearing protection.

There are 3 items needed to make this product work:

1. Clear Comfortable Earpiece

2. Clear Acoustic Tube Assembly (NTN8371A)

3. Surveillance Kit

RLN4760A Small Custom Earpiece, right ear

RLN4763A Small Custom Earpiece, left ear

RLN4761A Medium Custom Earpiece, right ear

RLN4764A Medium Custom Earpiece, left ear

RLN4762A Large Custom Earpiece, right ear

RLN4765A Large Custom Earpiece, left ear

BDN6720A

FLEXIBLE EAR RECEIVER

This receive only earpiece contains a flexible earloop and speaker which rests external to the ear.

BDN6720A Flexible Ear Receiver

BND6720AP Resale packaged

7580372E11 Replacement Foam Ear Cushion for BDN6720A

RLN4922A

COMPLETELY DISCREET EARPIECE

Remain discreetly in touch with the miniaturized receiver. All messages received through the user's two-way radio are inductively relayed to the wireless earpiece in the user's ear. Inductive neckloop is easily hidden under the user's clothing for covert operations. Neckloop attaches to the user's Motorola Surveillance Kit providing completely discreet two-way communications. Security operatives, public safety officials, and private investigators can communicate with ease without any visible equipment. Small as it is, it offers a full range of audio functions including automatic squelch, automatic gain control and noise filtering. Must be used in conjunction with a Motorola Surveillance Kit. Just remove the earpiece on any standard 2 or 3-wire surveillance kit and plug in the neckloop for completely discreet communication.

RLN4922A Earpiece Completely Discreet Earpiece Kit; includes wireless earpiece, inductive neckloop, 6 spare batteries and 5 spare ear wax guards

RLN4919A Ear Wax Guards, pack of 5

RNN4005A 1.4V Battery, pack of 6

MISCELLANEOUS ACCESSORIES

HMN9727A Accessory Clamp, ensures secure connection for all your audio accessories

***Intrinsically Safe**

LIGHTWEIGHT HEADSET

Lightweight headsets allow for high clarity, hands-free, discreet two-way communications while adding comfort necessary for extended wear in moderate noise environments.

RMN4016A* Lightweight Single Speaker Headset with Swivel Boom Microphone for right or left ear operation and in-line PTT

REX4648A Replacement Foam Earpad and Windscreen for RMN4016A

RLN4943A

MISCELLANEOUS ACCESSORIES

RLN4943A Universal Holder with Gooseneck Bracket; provides flexible mounting solutions for portable radios

RLN4945A Universal Holder with Gooseneck Bracket and Wheelchair Quick Release Assembly

RLN4944A Wheelchair Quick Release Bracket

Audio & Carrying Accessories

HLN9421

HLN9428

NTN8040B

NTN8039B

NTN5243A

CARRYING CASES

A variety of carrying accessories are available for your comfort and convenience. The carrying cases are available in sizes designed to fit your radio and battery and permit audio to be heard clearly.

STANDARD BELT LOOP CARRY CASES

HLN9428A DTMF Leather Carry Case with Belt Loop for use with standard battery

HLN9429A DTMF Leather Carry Case with Belt Loop for use with FM approved 1100 mAh battery

HLN9431A DTMF Leather Carry Case with Belt Loop for use with FM approved 600 mAh slim battery

HIGH ACTIVITY SWIVEL CARRY CASES

The following carry cases have a high activity swivel "D" button and belt loop. To remove case from belt loop, rotate case 180 degrees and slide case upward, out of the holder. Case stays on belt more securely in high activity applications.

HLN9421A DTMF Leather Carry Case with high activity Swivel belt loop for use with standard battery

HLN9426A DTMF Leather Carry Case with high activity Swivel belt loop for use with FM approved 1100 mAh battery

HLN9427A DTMF Leather Carry Case with high activity Swivel belt loop for use with FM approved 600 mAh battery

CARRY HOLDER

HLN9076B Molded Carry Holder (high-capacity battery)

HLN8044A Strap for Molded Carry Holder, snap

CARRYING CASE ACCESSORIES

T-STRAPS

HLN9975A Strap for DTMF, snap

BELT LOOPS

NTN8039B 2-1/2" Replacement Swivel Belt Loop for high activity swivel cases

NTN8040B 3" Replacement Swivel Belt Loop for high activity swivel cases

BELT CLIPS

HLN9724A Belt Clip, 2-1/2"

HLN8255B Spring action 3" Belt Clip

CARRYING STRAP

NTN5243A Adjustable Black Carrying Strap attaches to "D" ring on case

SWIVELLER

TDN1002A Swiveller, includes holster belt and strap

TDN1003A Spare Swiveller Button

HLN9149AR Swivel Belt Loop Adapter for use with HLN9421, HLN9426 and HLN9427

HLN6602A

RLN4570A

UNIVERSAL CHEST PACK

HLN6602A Universal Chest Pack with Radio Holder and Velcro Secured Pocket
1505596Z02 Replacement Strap for HLN6602A

BREAK-A-WAY CHEST PACK

All of the same features as the original chest pack (HLN6602A) plus break-a-way tabs that allow the entire pack to be pulled off with approximately 10 lbs. of pressure. Perfect for railroads, manufacturing locations, construction sites and anywhere safety is a concern.

RLN4570A Break-A-Way Chest Pack

RADIOPAK™

RLN4815A Universal RadioPAK™ with Radio Holder is worn around waist with adjustable belt; includes attached 6" by 8" zippered pouch for other job necessities

4280384F89 Universal RadioPAK™ Belt Lengthener; fits waists larger than 40"

WATERPROOF BAG

HLN9985A Waterproof Bag; includes large carrying strap

RLN4815A

TDN9327A

PORTABLE RADIO HANGER

The portable radio hanger slides over and hangs from the door panel in a vehicle. The radio's belt clip slides onto the portable hanger allowing convenient, easy mounting. Two sizes are available to fit door panels.

TDN9327A Portable Radio Hanger for door panels up to 2-3/4"

TDN9373A Portable Radio Hanger for door panels up to 3-1/4"

Carrying Accessories & Chargers

BATTERIES

PREMIUM NICKEL CADMIUM (NiCD)

HNN8308A 600 mAh, 7.5V (slim)

HNN9628A 1200 mAh, 7.5V

HNN9701A 1100 mAh, 7.5V Intrinsically Safe

HNN9808B 600 mAh, 7.5V (slim) Intrinsically Safe

HNN8133C 1200 mAh, 7.5V, Intrinsically Safe

HNN9987B 1100 mAh, 7.5V (Marine)

POWER NICKEL CADMIUM (NiCD)

WPNN4044AR 1000 mAh, 7.5V

HKN8036B

VEHICULAR BATTERY ELIMINATOR

The battery eliminator saves useful battery life by drawing power from a vehicle's battery. Simply replace the portable battery with the battery eliminator and plug in the cigarette lighter adapter.

HKN8036B Vehicular Battery Eliminator

HTN9042A

SINGLE UNIT CHARGERS

The single unit Intellicharger utilizes an enhanced charging algorithm that will help maximize the life of your batteries. It will rapid charge both NiCD and NiMH batteries in approximately 1 hour.

HTN9042A 120V Intellicharger Rapid Rate Charger, 110V

HTN9043A 220V Intellicharger Rapid Rate Charger, 240V

HTN9044A 2400V Intellicharger Rapid Rate Charger, UK Plug, 240V

HLN9719A

VEHICULAR CHARGER

The vehicular charger is designed to easily charge your batteries in a vehicle by adapting a single unit, rapid rate charger to the cigarette lighter receptacle. This is ideal when a radio is often used in a vehicle.

HLN9719A Vehicular Charger, One Hour, 12V

RLN4833A

TRAVEL CHARGER

A great travelling companion that ensures constant communication while on the road. Allows the battery to rapid charge while using the radio. Includes a voltage regulated lighter adapter, custom charger base and coil cord. Compatible with P1225, GP300, GTX, LTS2000 and P110 radios.

RLN4833A Travel Charger

HTN9702A

SINGLE UNIT CHARGERS STANDARD RATE

Single unit standard chargers can charge NiCD batteries in approximately 16 hours.

HTN9702A Single Unit Standard Charger, 110V

HTN9804A Single Unit Standard Charger, European plug, 220V

HTN9805A Standard Charger, United Kingdom plug, 240V

TRAVEL CHARGER AC TRANSFORMER

Travel Charger AC transformer connects to the cigarette lighter adapter cord to allow it to be plugged into an AC wall outlet for indoor use.

2580600E05 Transformer 120V (US)

2580600E06 Transformer 230V (Euro)

2580600E07 Transformer 230V (U.K.)

2580600E08 Transformer 230V (Argentina)

TRAVEL CHARGER MOUNTING BRACKET

0780384K84 Universal Mounting Bracket for Travel Charger; includes screws and nylon cord

MOTOROLA ORIGINAL

WPPN4002BR
Shown With Optional Cigarette Lighter Adapter

WPLN4079BR

WPPN4065AR
Shown With Optional Adapter Plates

MOTOROLA CONDITIONING CHARGERS (MCC)

The MCC utilize negative pulse charging technology that will help extend battery life and enhance battery operation. It will safely condition and charge your specified NiCD and NiMH batteries in approximately an hour. The MCC controls heat buildup due to its charging and termination algorithms and maintenance mode allows batteries to be safely left on the charger for extended periods of time. And now there is an Instant Fault Detection (IFD) feature which detects faulty radio batteries in seconds, which notifies the user that the battery will not operate at peak performance. Optional accessories are available allowing these chargers to be used in both AC and DC environments providing optimal charging flexibility.

WPLN4088BR MCC Kit, 110V AC (includes base unit and 7V adapter)

WPLN4089CR MCC Kit, 220V AC (includes base unit and 7V adapter)

WPPN4002BR Base Charge Unit Only, 110V AC (order adapter plates separately)

WPPN4006AR Base Charge Unit Only, 220V AC (order adapter plates separately)

WPPN4065BR Four-Station Base, 110V (order adapter plates separately)

WPPN4005BR Adapter Only, 7V

3080384G15 Cigarette Lighter Adapter Cord

RLN4814A Vehicular Mounting Bracket and Hard Wire Cable for single unit Motorola Conditioning Charger

3080384M21 DC Hard Wire Cable, for vehicular installation (included in RLN4814A)

BATTERY MAINTENANCE SYSTEM^{PLUS} (BMS^{PLUS})

Increase the useful life of your batteries using interchangeable battery adapters (sold separately). The BMS^{Plus} is capable of charging and discharging, analyzing, conditioning and cycle testing on NiCD, NiMH, Li Ion batteries; tracking battery voltage and capacity (mAh). The BMS^{Plus} offers a 3-year warranty. Its easy-to-use design supports hundreds of 2-way, cellular, and camcorder batteries with printer port (Serial-RS-232C port—uses female 9-pin to male 25-pin cable).*

WPLN4079BR Six-Station, 110V AC, 50/60 Hz

WPLN4080BR Six-Station, 230V AC, 50/60 Hz

**Compatible with the STAR Micronics SP200 series printers, available from any STAR Micronics distributor, and other printers with STAR emulation.*

WPPN4085AR BMS^{Plus} field Upgrade Kit for WPLN4079AR, WPLN4080AR and WPLN4081AR; allows these units to support Li Ion battery chemistries

NDN4005B Three-Station, 110V AC 50/60 Hz (does not support Li Ion or 3 cell batteries)

NDN4006B Three-Station, 230V AC 50/60 Hz (does not support Li Ion or 3-cell batteries)

BATTERY MAINTENANCE SYSTEM^{PLUS} (BMS^{PLUS}) ADAPTERS

TDN9437A Adapter, for use with HNN9701A batteries

TDN9662A Adapter, for use with HNN9628A batteries

TDN9438A Adapter, for use with HNN8308A and HNN9808B batteries

Chargers, Antennas & Service Manuals

WPLN4071AR

BATTERY OPTIMIZING SYSTEM (BOS)

No other battery analyzer matches the speed, accuracy, versatility and ease-of-use of the Battery Optimizing System. Best of all, the Battery Optimizing System helps lower your battery costs, because you will get the maximum performance possible from each battery when it is maintained by the Battery Optimizing System.

- Accommodates NiCD, NiMH, Li Ion and SLA
- Impedance test-checks battery condition in six seconds
- Proprietary recondition cycle restores NiCD and NiMH batteries
- Printer output for reports and labels, computer interface
- High power—programmable from 100mA to 2 Amp per station
- Interchangeable adapters accommodate all major batteries
- Simple, intuitive user interface with keypad

WPLN4071AR Four-Station, 110V AC, 50/60 Hz

WPLN4073AR Four-Station, 230V AC, 50/60 Hz

BOS ADAPTERS

RL-71883 Standard Adapter

8505241U06

ANTENNAS

FLEXIBLE WHIP ANTENNAS

Flexible whip antennas have one-piece finish and steel core for optimal radiation characteristics. Provides more comfort when radio is worn on the belt.

8505241U03 Flexible Whip, 806-869 MHz

8505241U04 Flexible Whip, 896-941 MHz

STUBBY ANTENNA

This quarterwave stubby antenna is ideal when radio is worn on the belt because the short antenna is non-obtrusive. This is a broad band antenna that can be used for both 800MHz and 900MHz applications.

8505241U06* Stubby, 806-941MHz, 4"

**8505241U06 is a broadband antenna that operates in the 800/900MHz band*

SERVICE MANUALS

6802945C75 GTX 800 Service Manual

6802948C90 GTX 900 Service Manual

MOTOROLA ORIGINAL

GTX Mobile Radio

MOTOROLA
intelligence everywhere™

GTX MOBILE TRUNKED TWO-WAY RADIOS

To stay on top in today's competitive market place, you need fast, dependable access to the right people and information. And with the innovative GTX family of trunked mobile radios, that's exactly what you get. No matter what your business—taxi and delivery, utilities, construction, or transportation—GTX radio can help you connect with 1, 10, or 100 colleagues instantly, at the touch of a button. Depending on your coverage needs, you can choose from 15W/12W or 35W/30W power models that operate on either 800 or 900 MHz frequencies—with data capabilities that extend your communication options even more. Whichever model you choose, you'll enjoy outstanding Motorola quality—and the great communication you're looking for.

GTX PRIVACY PLUS™ FEATURES:

- Dual Mode Capability…Allows radio to operate on either trunked or conventional systems with 10 trunked modes/8 talkgroups and 10 conventional channels
- Talkaround…Maximizes radio's calling range with unit-to-unit communication that bypasses the repeater
- Time-Out Timer…Automatically shuts off the transmitter after a specified amount of time, helping prevent channel tie-ups
- Telephone Interconnect Response…Enhances radio's functionality by letting users place and receive phone calls
- Scan…Monitor transmissions on Privacy Plus systems, conventional systems, or both
- Private Conversation™ Initiation and Response…Place and receive confidential calls with the touch of a button to help ensure other users cannot listen in
- Horn and Lights Activation…Notifies user of incoming calls when outside the vehicle
- Call Alert™ Initiation and Response… Signifies incoming messages with an audible tone, or sends an alert message to another user's radio
- Three-Character Display…Allows radio to operate on either trunked or conventional systems with 10 trunked modes/8 talkgroups and 10 conventional channels

GTX LTR® FEATURES:

- Dual Mode Capability…Allows radio to operate on either trunked or conventional systems with 10 trunked modes/8 talkgroups and 10 conventional channels
- Talkaround…Maximizes radio's calling range with unit-to-unit communication that bypasses the repeater
- Time-Out Timer…Automatically shuts off the transmitter after a specified amount of time, helping prevent channel tie-ups
- Telephone Interconnect Response… Enhances radio's functionality by letting users place and receive phone calls
- Scan…Monitor transmissions on Privacy Plus systems, conventional systems, or both
- Horn and Lights Activation… Notifies user of incoming calls when outside the vehicle
- Three-Character Display…At-a-glance identification of talkgroups and other important information

American Communication Systems
Discover the Power of Communications ™

TO ORDER– VISIT http://www.ameradio.com

Mobile Accessories, Microphones, Speakers, Control Station & Mounts

HMN1035C

HMN3013A

HMN3000B

HPN4002B

MICROPHONES

HMN3413A Standard Compact Microphone

HMN1035C Full Size Palm Microphone

HMN3013A Non-Backlit Full Size DTMF Microphone

SPEAKERS

Provides audio for high ambient noise environments.

FSN5510A 7.5W External Speaker

CONTROL STATION

Converts the mobile radio for desktop use for dispatch purposes.

HLN3067A Low Power Control Station Package, includes: adapter cable, base tray, black desk mic and power supply

CONTROL STATION ACCESSORIES

HPN4002B Control Station Power Supply, 1–25 watt

HLN6405A Rubber Desk Tray without Speaker, Low Power, for use with Model 1

HMN3000B Desk Microphone

HKN9088B Adapter Cable

MOUNTING BRACKETS

GLN7317A Non-locking Bracket

CABLES

GKN6270A Standard Power Cable

GKN6271A Ignition Switch Cable

ALARMS

GKN6272AR External Alarm Relay Cable Kit

GLN7323A Emergency Foot Switch

MOTOROLA ORIGINAL

ANTENNAS

800 MHZ

HAF4002A 1/4 Wave, Roof Top (806-900 MHz)

RRA4914B 3dB, Roof Top, Stainless Steel (806-900 MHz)

RRA4990A 3dB, Roof Top, Black Chrome (806-900 MHz)

RRA4983A 3dB, Roof Top, Low Loss, Stainless Steel (806-900 MHz)

RRA4986A 3dB, Roof Top, Low Loss, Black Chrome (806-900 MHz)

900 MHZ

RRA4935A 3dB, Roof Top with 14 ft. cable (890-960 MHz)

RAF4003ARM 3dB, Roof Top with 22 ft. cable (890-960 MHz)

RRA4935B

HAF4002A

ANTENNA ADAPTERS

HKN9557A Mini UHF to UHF Adapter Cable

2880376E84 Mini UHF Antenna Connector

HLN8027A Mini UHF to BNC Connector

2880376E84

LOW PROFILE ANTENNAS

UHF

RAE4162A White 410-430 MHz

RAE4163A Black 410-430 MHz

RAE4164A Black 430-450 MHz

RAE4165A White 430-450 MHz

RAE4166A Black 470-490 MHz

RAE4I67A White 450-470 MHz

RAE4168A Black 450-470 MHz

RAE4169A White 470-490 MHz

800MHZ

RAF4217A White 821-896 MHz

RAF4218A Black 821-896 MHz

RAF4219A Black 806-866 MHz

RAF4220A White 806-866 MHz

ANTENNA KITS

Includes 3/4 Brass Mount with 17 ft. of RG58U Solid Center Conductor Cable.

UHF

RAE4162ARB White 410-430 MHz

RAE4163ARB Black 410-430 MHz

RAE4164ARB Black 430-450 MHz

RAE4165ARB White 430-450 MHz

RAE4166ARB Black 470-490 MHz

RAE4167ARB White 450-470 MHz

RAE4168ARB Black 450-470 MHz

RAE4169ARB White 470-490 MHz

800MHZ

RAF4217ARB White 821-896MHz

RAF4218ARB Black 821-896MHz

RAF42I9ARB Black 806-866MHz

RAF4220ARB White 806-866MHz

MOUNTS

3080384M44 Black Magnetic W/12 ft. of RG58A/U Cable

3080384M45 Chrome Magnetic W/12 ft. of RG58A/U Cable

3080384M48 3/4 Hole Mini UHF Crimp W/17 ft. of RG58A/U Cable

3080384M46 Chrome Trunk Mount w/17 ft. of RG58A/U Cable

3080384M47 Black Trunk Mount W/17 ft. of RG58A/U Cable

RAF4220A

3080384M48